

For more information, call 800-622-7711,
+1-540-265-0690 or visit occfiber.com.
5290 Concourse Drive
Roanoke, VA 24019 | USA



ENTERPRISE LINE CARD



COPPER CLOSET



FIBER OPTICS



WORK STATION



RACK SOLUTIONS



Dependable communication is not dependent on any one component in the data chain...it depends on every component working flawlessly. Optical Cable Corporation built our foundation on providing data communication components that offer reliable performance and dependable service. In today's connected world, we use that foundation to provide an exceptional end-to-end cabling infrastructure solution for copper, fiber, or wireless applications.

This integrated suite of quality, warranted network cabling solutions provides outstanding performance characteristics in enterprise networks, corporate communications, datacenters, and even residential use. For innovative and dependable products and solutions OCC has the right connections.

ALSO AVAILABLE:

- **Limited Access™** – Keyed Copper Network Solutions designed to offer a physical barrier to network system access and beyond Category 6a performance.
- **Data Center Solutions** – Copper and Fiber Plug and Play connectivity components, racks, cabinets, and cable management solutions.
- **Dual Access™** – The latest innovation in residential structured wiring solutions designed to save installer's time and money, while providing a migration path to VoIP systems.
- **Harsh Environment Solutions** – Ruggedized copper and fiber connectivity components coupled with the industry's toughest cable.

COPPER CLOSET

COPPER CABLE

CATEGORY 5E

- OCC-U5E4R-XX Cat 5e 400 MHz CMR Copper Cable, Box, 1,000 ft
- OCC-U5E5PLM-XX Cat 5e 400 MHz CMP Copper Cable, Box, 1,000 ft


CATEGORY 6

- OCC-U64R-XX Cat 6 CMR Copper Cable, 1,000 ft/box
- OCC-U64PLM-XX Cat 6 CMP Copper Cable, 1,000 ft/box
- OCC-UE64PLM-XX Cat 6 CMP Copper Cable, no separator, 1,000 ft/box
- OCC-FTP64R-XX Cat 6 SCTP CMR Copper Cable, 1,000 ft/reel
- OCC-FTP64PLM-XX Cat 6 SCTP CMP Copper Cable, 1,000 ft/reel

CATEGORY 6A

- OCC-U6A4R-XX Cat 6A UTP CMR Copper Cable, 1,000 ft/reel
- OCC-U6A4PLM-XX Cat 6A UTP CMP Copper Cable, 1,000 ft/reel
- OCC-FTP6A4R-XX Cat 6A FTP CMR Copper Cable, 1,000 ft/reel
- OCC-FTP6A4PLM-XX Cat 6A FTP CMP Copper Cable, 1,000 ft/reel

* Replace "XX" with color code. Contact OCC Inside Sales Rep for color choices.




PATCH PANELS

WALL MOUNT

- PP12SIX Cat 6, 568A/B wired, 12 Port, 89D Bracket
- PP1288/110A6 Cat 6, 568A/B wired, 12 Port
- PP2488/110A6 Cat 6, 568A/B wired, 24 Port
- PP12A5E Cat 5e, 568A/B wired, 12 Port, 89D Bracket
- PP1288/110A5E Cat 5e, 568A/B wired, 12 Port
- PP2488/110A5E Cat 5e, 568A/B wired, 24 Port


RACK MOUNT

- AKXG6A24-UTP Cat 6A, 10 Gig UTP, KMJ Style, 24 port
- AKXG6A24-FTP Cat 6A, 10 Gig FTP, KMJ Style, 24 port
- DCC2488/110SIX Cat 6, 568A/B wired, 24 Port
- DCC4888/110SIX Cat 6, 568A/B wired, 48 Port
- DCC9688/110SIX Cat 6, 568A/B wired, 96 Port
- DCC2488/110A5E Cat 5e, 568A/B wired, 24 Port
- DCC4888/110A5E Cat 5e, 568A/B wired, 48 Port
- DCC9688/110A5E Cat 5e, 568A/B wired, 96 Port



RACK MOUNT ANGLED


- ACC2488/110SIX Cat 6, Angled, 568A/B wired, 24 port
- ACC4888/110SIX Cat 6, Angled, 568A/B wired, 48 port
- ACC2488/110A5E Cat 5e, Angled, 568A/B wired, 24 port
- ACC4888/110A5E Cat 5e, Angled, 568A/B wired, 48 port



COPPER CLOSET

TELCO PATCH PANELS

PP2488/25V01	Cat 5e, Wall Mount, 568B wired, 24 port
PP2488/25V03	Cat 5e, Wall Mount, 568A wired, 24 port
ACC2488/25V01	Cat 5e, Angled, 568B wired, 24 port
ACC4888/25V01	Cat 5e, Angled, 568B wired, 48 port
DCC2484/25V100	Cat 5e, Fast Ethernet, 24 Port
DCC4884/25V100	Cat 5e, Fast Ethernet, 48 Port
DCC24x/GBASET21	Cat 5e, Gigabit Ethernet, 24 Port
DCC48x/GBASET21	Cat 5e, Gigabit Ethernet, 48 Port




* Replace "x" with "A" for 568A wired or "B" for 568B wired
 ** Telco connectors are female

25 PAIR CABLE ASSEMBLIES

25PA/xyxy-5E-XXX	Cat 5e Riser Telco to 10/100 Hydra
25PA/xx-xx-5E-XXX	Cat 5e Riser Telco to Telco
25PA/xyxy65E-XXX	Cat 5e Riser Telco to Gigabit Hydra


* Replace "xx" with Telco configuration, "yy" with Hydra configuration, and "XXX" with length in feet; Replace "E" with EP for Plenum versions



PATCH CORDS

PCSIXxyxy	Cat 6 patch cord without boot
PCSIXxxByy	Cat 6 patch cord with boot
PC5EBxyxy	Cat 5e patch cord without boot
PC5EBxxByy	Cat 5e patch cord with boot
PC6AUBxyxy	Cat 6A unshielded patch cord with boot
PC6ASBxyxy	Cat 6A shielded patch cord with boot


* Replace "xx" with length in feet; replace "yy" with 06 = gray | 09 = yellow



110 BLOCK KITS

DCC50/110EFS	Cat 5e 50 Pair
DCC100/110EFS	Cat 5e 100 Pair
DCC300/110EFS	Cat 5e 300 Pair
DCC48/110SIX	Cat 6 48 Pair
DCC96/110SIX	Cat 6 96 Pair
DCC288/110SIX	Cat 6 288 Pair


* Add "L" for Legs; add "K" to be kitted with connectors



ZONE DISTRIBUTION

ZDB6VA01	Zone Box, 568A wired, 6 Port
ZDB6VB01	Zone Box, 568B wired, 6 Port
ZDIM8625A	Zone Jack Pack, 568A wired, 6 Port
ZDIM8625B	Zone Jack Pack, 568B wired, 6 Port
ZDMB12/25V100	Zone "Spider" Module, 10/100 Telco, 12 Port
ZDMB12x/GBASET21	Zone "Spider" Module, Gigabit Telco, 12 Port

* Replace "x" with "A" for 568A wired or "B" for 568B wired
 ** Other Zone Distribution products available, please contact OCC with your applications needs.



FIBER OPTIC CABLE

DISTRIBUTION FIBER OPTIC CABLES

RISER RATED

DX002Dxxx9KR	2 Fiber 900 µm tight buffer, black jacket, riser rated
DX004Dxxx9KR	4 Fiber 900 µm tight buffer, black jacket, riser rated
DX006Dxxx9KR	6 Fiber 900 µm tight buffer, black jacket, riser rated
DX012Dxxx9KR	12 Fiber 900 µm tight buffer, black jacket, riser rated
DX024Dxxx9KR	24 Fiber 900 µm tight buffer, black jacket, riser rated
DX048Dxxx9KR	48 Fiber 900 µm tight buffer, black jacket, riser rated
DX072Dxxx9KR	72 Fiber 900 µm tight buffer, black jacket, riser rated



PLENUM RATED "S" JACKET

DX002Sxxx9OP	2 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor only
DX004Sxxx9OP	4 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor only
DX006Sxxx9OP	6 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor only
DX008Sxxx9OP	8 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor only
DX012Sxxx9OP	12 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor only

PLENUM RATED "K" JACKET

DX006Kxxx9OP	6 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor/outdoor
DX008Kxxx9OP	8 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor/outdoor
DX012Kxxx9OP	12 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor/outdoor
DX024Kxxx9OP	24 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor/outdoor
DX048Kxxx9OP	48 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor/outdoor
DX072Kxxx9OP	72 Fiber 900 µm tight buffer, orange jacket, plenum rated, indoor/outdoor


* Replace "xxx" with fiber type from chart below

** Other fiber counts and jacket colors available upon request. Contact OCC Inside Sales for ordering details

BREAKOUT FIBER OPTIC CABLES

RISER RATED (with 2.5 mm sub-cables)

BX002Dxxx9KR	2 Fiber, 900 µm tight buffer, black jacket, riser rated
BX004Dxxx9KR	4 Fiber, 900 µm tight buffer, black jacket, riser rated
BX006Dxxx9KR	6 Fiber, 900 µm tight buffer, black jacket, riser rated
BX008Dxxx9KR	8 Fiber, 900 µm tight buffer, black jacket, riser rated
BX012Dxxx9KR	12 Fiber, 900 µm tight buffer, black jacket, riser rated
BX024Dxxx9KR	24 Fiber, 900 µm tight buffer, black jacket, riser rated
BX048Dxxx9KR	48 Fiber, 900 µm tight buffer, black jacket, riser rated
BX072Dxxx9KR	72 Fiber, 900 µm tight buffer, black jacket, riser rated



PLENUM RATED (with 2.0 mm sub-cables)

BX002Dxxx9yP	2 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor
BX004Dxxx9yP	4 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor
BX006Dxxx9yP	6 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor
BX008Dxxx9yP	8 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor
BX012Dxxx9yP	12 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor
BX024Dxxx9yP	24 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor
BX048Dxxx9yP	48 Fiber, 900 µm tight buffer, black jacket, plenum rated, indoor/outdoor

* Replace "xxx" with fiber type from chart below.

** Replace "y" with jacket color code: O = Orange-Multimode, Q = Aqua-10 Gig Multimode, Y = Yellow-Single-mode

*** Other fiber counts and jacket colors available upon request. Contact OCC Inside Sales for ordering details

FIBER OPTIC CABLE

LASER ULTRA-FOX™ FIBER PERFORMANCE

Fiber Code	Core/Cladding Diameter (µm)	Wavelength (nm)	Industry Standard Designation	Gigabit Ethernet Distance (m)	10-Gigabit Ethernet Distance (m)	Maximum Cabled Attenuation (dB/km)	Minimum Laser Bandwidth (MHz-km)	Minimum LED Bandwidth* (MHz-km)
WLS	62.5/125 Standard	(850/1310)	OM1 ISO/IEC 11801	300/600	33/300 [^]	3.5/1.5	220/500	200/500
WLX	62.5/125 XL	(850/1310)	OM1 ISO/IEC 11801	500/1000	33/300 [^]	3.0/1.0	385/500	200/500
ALS	50/125 Standard	(850/1310)	OM2 ISO/IEC 11801	600/600	82/300 [^]	3.5/1.5	510/500	500/500
ABS	50/125 Standard Bend Tolerant	(850/1310)	OM2 ISO/IEC 11801	600/600	82/300 [^]	3.5/1.5	510/500	500/500
ALX	50/125 XL	(850/1310)	OM2 ISO/IEC 11801	750/600	150/300 ²	3.0/1.0 ³	950/500	700/500
ABX	50/125 XL Bend Tolerant	(850/1310)	OM2 ISO/IEC 11801	750/600	150/300 ²	3.0/1.0 ³	950/500	700/500
ALT	50/125 (300 meter 10-GbE)	(850/1310)	OM3 ISO/IEC 11801	1000/600	300/300 ²	3.0/1.0 ³	2000/500	1500/500
ABT	50/125 (300 meter 10-GbE) Bend Tolerant	(850/1310)	OM3 ISO/IEC 11801	1000/600	300/300 ²	3.0/1.0 ³	2000/500	1500/500
ALE	50/125 (550 meter 10-GbE)	(850/1310)	OM3 ISO/IEC 11801	1040/600	550 ¹ /300 ²	3.0/1.0 ³	4700/500	3500/500
ABT	50/125 (550 meter 10-GbE) Bend Tolerant	(850/1310)	OM3 ISO/IEC 11801	1040/600	550 ¹ /300 ²	3.0/1.0 ³	4700/500	3500/500
SLX	9 ⁶ /125 Low Water Peak Single-mode	(1310/1550)	ITU-T G.652.D	5 km ⁴	10 km ⁵	0.5/0.5	—	—
SLA	9 ⁶ /125 Bend-Insensitive Single-mode	(1310/1550)	ITU-T G.657.A ITU-T G.652.D	5 km ⁴	10 km ⁵	0.5/0.5	—	—
SLB	9 ⁶ /125 Bend-Insensitive Single-mode	(1310/1550)	ITU-T G.657.A & B ITU-T G.652.D	5 km ⁴	10 km ⁵	0.5/0.5	—	—

* For backward compatibility to LED based systems, overfilled launch (OFL)

[^] 1310 nm CWDM lasers (10GBASE-LX4)

¹ Reach assuming 3.0 dB maximum cabled attenuation at 850 nm and 1.3 dB total connection and splice loss

² Supports 220 meter 10GBASE-LRM distance, or 300 meter 10GBASE-LRM distance with 300 meter capable equipment

³ 3.5/1.5 dB/km maximum attenuation applies for DX-Series cables greater than 36 fibers, and for all DX-Series cables with armor (corrugated steel tape or interlocked armor) or any other secondary outer jacketing

⁴ 10 km for 1310 nm 1000BASE-LH, and 5 km for 1310 nm 1000BASE-LX

⁵ 10 km for 1310 nm 10GBASE-LR, and 40 km for 1550 nm 10GBASE-ER

⁶ Nominal Mode Field Diameter at 1310 nm

Note: many other fiber types, fiber bandwidth, and attenuation performances are available.

ULTRA-FOX™ PLUS FIBER PERFORMANCE*

Fiber Code	Core/Cladding/Coating Diameter (µm)	Wavelength (nm)	Industry Standard Designation	Gigabit Ethernet Distance (m)	10-Gigabit Ethernet Distance (m)	Maximum Cabled Attenuation (dB/km)	Minimum Laser Bandwidth (MHz-km)	Minimum LED Bandwidth (MHz-km)
WST	62.5/125/500	(850/1310)	OM1 ISO/IEC 11801	275/550	33/300	3.5/1.5	—	200/500
AST	50/125/500	(850/1310)	OM2 ISO/IEC 11801	550/550	82/300	3.5/1.5	—	500/500
SLS	9/125/500 ¹	(1310/1550)	ITU-T G.652.A	5 km ²	10 km ³	0.5/0.5	—	—

¹ Typical Mode Field Diameter at 1310 nm = 9 microns

² 10 km for 1310 nm 1000BASE-LH, and 5 km for 1310 nm 1000BASE-LR


³ 10 km for 1310 nm 10GBASE-LR, and 40 km for 1550 nm 10GBASE-ER

Note: Other fiber bandwidth, and attenuation performances are available. Laser optimized fiber types available as special order. Contact Optical Cable Corporation for details.

FIBER OPTIC CONNECTIVITY


RACK MOUNT FIBER CABINETS

ZDMB6B	Rack Mount, 6 Port, 0 RU, Black
RTC1UB	Rack Mount, 18 Port, 1 RU, Black
RTR12B	Rack Mount, 12 Port, 1 RU, Recess, Black
RTS24B	Rack Mount, 24 Port, 2 RU, Sliding, Black
RTC18x	Rack Mount, 18 Port, 2 RU
RTC36x	Rack Mount, 36 Port, 2 RU
RTC72x	Rack Mount, 72 Port, 3 RU
RTC144x	Rack Mount, 144 Port, 7 RU



WALL MOUNT FIBER CABINETS


WTC12/24x	Wall Mount, 12 or 24 Port
WTC48x	Wall Mount, 48 Port
WTC72x	Wall Mount, 72 Port
OCO6N	Wall Mount, NEMA 3, 6 Port
OCO48N	Wall Mount, Outdoor, NEMA 4, 48 Port



* 72 and 96 port NEMA 4X also available


ADAPTER PLATES

616SC	6 Port, SC, MM/SM, Metal sleeve
616ST	6 Port, ST, MM/SM, Metal sleeve
616DLC	6 Port, Dual LC, MM/SM, Metal sleeve
616DSC	6 port, Dual SC, MM/SM, Metal sleeve
6112DSC	12 Port, Dual SC, MM/SM, Metal sleeve
6112DLC	12 Port, Dual LC, MM/SM, Metal sleeve
6112DST	12 port, Dual ST, MM/SM, Metal sleeve
6112DSC50G	12 Port, Dual SC, MM, 50 μ m, Composite sleeve
6112DLC50G	12 Port, Dual LC, MM, 50 μ m, Composite sleeve
6124QLC50G	24 Port, Quad LC, MM, 50 μ m, Composite sleeve



SPLICE ACCESSORIES

R24S	RM Splice Kit, 24 Fiber
R48S	RM Splice Kit, 48 Splices
R72S	RM Splice Kit, 72 Splices
R144S	RM Splice Kit, 144 Splices
W48S	WM Splice Kit, 48 Splices
W72S	WM Splice Kit, 72 Splices
W144S	WM Splice Kit, 144 Splices




FIBREGUARD™

FG5-1S	500 Series, (1) 12 Fiber tray, 2 Drop ports
FG5-2S	500 Series, (2) 12 Fiber trays, 2 Drop ports
FG5-3S	500 Series, (3) 12 Fiber trays, 2 Drop ports
FG6-1S	650 Series, (1) 24 Fiber tray, 3 Drop ports
FG6-2S	650 Series, (2) 24 Fiber trays, 3 Drop ports
FG6-3S	650 Series, (3) 24 Fiber trays, 3 Drop ports
FG6-4S	650 Series, (4) 24 Fiber trays, 3 Drop ports
FG8-1S	800 Series, (1) 24 Fiber tray, 5 Drop ports

MT CASSETTE MODULES


MTCM12LC5	12 Port, LC, 50 μ m
MTCM12LC6	12 Port, LC, 62.5 μ m
MTCM12SC5	12 Port, SC, 50 μ m
MTCM12SC6	12 Port, SC, 62.5 μ m



* Single-mode and 10 Gig also available

FIBER JUMPERS

D5ST-ST-xM	Multi-mode, Duplex, ST-ST, 50 μ m
D6ST-ST-xM	Multi-mode, Duplex, ST-ST, 62.5 μ m
D5SC-SC-xM	Multi-mode, Duplex, SC-SC, 50 μ m
D6SC-SC-xM	Multi-mode, Duplex, SC-SC, 62.5 μ m
D5LC-LC-xM	Multi-mode, Duplex, LC-LC, 50 μ m
D6LC-LC-xM	Multi-mode, Duplex, LC-LC, 62.5 μ m




*Replace "x" with length in meters ** Single-mode and Simplex jumpers also available.

WORKSTATION

UMJ JACKS AND ADAPATORS

UMJA6xx	UMJ Cat 6 Jack, 568A/B
UMJA5Exx	UMJ Cat 5e Jack, 568A/B
UMJVL8A/Bxx	UMJ Cat 5e Lead frame Jack, 568A/B
UMJL06Uxx	UMJ Cat 3 Jack, USOC
AAFxx	UMJ Snap-in F Adapter
AABNCxx	UMJ Snap-in BNC Adapter
APBLKxx	UMJ Blank Inserts



* Replace "xx" with color choice: 00 = Electrical Ivory, 01 = Office White | 02 = Black | 03 = Red | 04 = Green | 05 = Blue
06 = Gray | 07 = White | 08 = Orange | 09 = Yellow | 10 = Purple | 11 = Brown | 12 = Bright White
** Additional UMJ adapters available – call the factory for more options


UMJ FACEPLATES

COMMERCIAL FACEPLATES WITH WINDOWS

FPSR01xx	UMJ Faceplate, Recessed, 1 Port
FPSR02xx	UMJ Faceplate, Recessed, 2 Port
FPSR03xx	UMJ Faceplate, Recessed, 3 Port
FPSR04xx	UMJ Faceplate, Recessed, 4 Port
FPSR06xx	UMJ Faceplate, Recessed, 6 Port

RESIDENTIAL FACEPLATES WITHOUT WINDOWS


FPR01xx	UMJ Faceplate, 1 Port, Oversized
FPR02xx	UMJ Faceplate, 2 Port, Oversized
FPR03xx	UMJ Faceplate, 3 Port, Oversized
FPR04xx	UMJ Faceplate, 4 Port, Oversized
FPR06xx	UMJ Faceplate, 6 Port, Oversized



* Replace "xx" with color choice: 00 = Electrical Ivory | 01 = Office White | 07 = White | 12 = Bright White

KMJ JACKS & ADAPATORS

KMJA6xx	KMJ Cat 6 Jack, 568A/B
KMJA5Exx	KMJ Cat 5e Jack, 568A/B
KMJVL8A/Bxx	KMJ Cat 5e Lead frame Jack, 568A/B
KMJL06Uxx	KMJ Cat 3 Jack, USOC
AKFyy	KMJ Snap-in F Adapter
AKBNCyy	KMJ Snap-in BNC Adapter
AKSVHyy	KMJ Snap-in Super VHS Adapter
AKBLKyy	KMJ Blank Inserts



* Replace "xx" with color choice: 00 = Electrical Ivory | 01 = Office White | 02 = Black | 03 = Red | 04 = Green | 05 = Blue
06 = Gray | 07 = White | 08 = Orange | 09 = Yellow | 10 = Purple | 11 = Brown | 12 = Bright White
** Replace "yy" with color choice: 00 = Electrical Ivory | 01 = Office White | 12 = Bright White
*** Additional KMJ adapters available – call the factory for more options


KMJ FACEPLATES

COMMERCIAL FACEPLATES WITH WINDOWS

FPSK01xx	KMJ Commercial Faceplate, 1 Port
FPSK02xx	KMJ Commercial Faceplate, 2 Port
FPSK03xx	KMJ Commercial Faceplate, 3 Port
FPSK04xx	KMJ Commercial Faceplate, 4 Port
FPSK06xx	KMJ Commercial Faceplate, 6 Port

RESIDENTIAL FACEPLATES WITHOUT WINDOWS

FPKS01xx	KMJ Smooth Faceplate, 1 Port
FPKS02xx	KMJ Smooth Faceplate, 2 Port
FPKS03xx	KMJ Smooth Faceplate, 3 Port
FPKS04xx	KMJ Smooth Faceplate, 4 Port
FPKS06xx	KMJ Smooth Faceplate, 6 Port



* Replace "xx" with color choice: 00 = Electrical Ivory | 01 = Office White | 12 = Bright White ** Oversized faceplates also available

RACK SOLUTIONS


RELAY RACKS & CABINETS

RACKS

- OF2402 48"H x 19"W Open Frame Rack, Silver
- OF2403 48"H x 19"W Open Frame Rack, Black
- OF4502 84"H x 19"W Open Frame Rack, Silver
- OF4503 84"H x 19"W Open Frame Rack, Black
- OF2404 48" H x 23"W Open Frame Rack, Silver
- OF2405 48"H x 23"W Open Frame Rack, Black
- OF4504 84"H x 23"W Open Frame Rack, Silver
- OF4505 84"H x 23"W Open Frame Rack, Black
- CMR45 84"H RackMax Cable Rack, Black


CABINETS

- CC3804 72"H x 25"W x 32"D 19" Cabinet, Black
- CC3807 72"H x 25"W x 36"D 19" Server Cabinet, Black
- CC4504 84"H x 25"W x 32"D 19" Cabinet, Black
- CC4507 84"H x 25"W x 36"D 19" Server Cabinet, Black
- CC3806 72"H x 31"W x 32"D 23" Cabinet, Black
- CC4506 84"H x 31"W x 32"D 23" Cabinet, Black



SHELVES

- 9022 19" Cantilever shelf, 2 RU, 10.5"D, Single-sided
- 9023 19" Cantilever shelf, 3 RU, 15.5"D, Single-sided
- 9125 19" Cantilever shelf, 2 RU, 25"D, Double-sided
- 9024 19" Four-Point Cabinet Shelf, 16"D, Vented
- 9130 19" Sliding Keyboard Shelf, 2 RU, for Racks
- 9232 23" Cantilever shelf, 2 RU, 10.5"D, Single-sided
- 9233 23" Cantilever shelf, 3 RU, 15.5"D, Single-sided
- 9218 23" Cantilever shelf, 2 RU, 25"D, Double-sided
- 9234 23" Four Point Cabinet Shelf, 16"D, Vented




CABLE MANAGERS

VERTICAL

- VCMFD-72SS 72" Cable Manager, single-sided, side mount
- VCMFD-72DS 72" Cable Manager, double-sided, side mount


HORIZONTAL

- CM401 – 19" Cable Manager, 1 RU Single-sided w/ cover
- CM402 – 19" Cable Manager, 1 RU Double-sided w/ cover
- CM403 – 19" Cable Manager, 2 RU Single-sided w/ cover
- CM404 – 19" Cable Manager, 2 RU Double-sided w/ cover



WALL MOUNT SWING RACKS

- SR218 19" Swing Rack 24"H x 18"D, Black
- SR225 19" Swing Rack 24"H X 25"D, Black
- SR218 19" Swing Rack 36"H x 18"D, Black
- SR325 19" Swing Rack 36"H x 25"D, Black
- SR418 19" Swing Rack 48"H x 18"D, Black
- SR425 19" Swing Rack 48"H x 25"D, Black



WALL MOUNT BRACKETS

- WF101 1 RU Wall Mount Bracket, 4"D
- WF102 1 RU Wall Mount Bracket, 8"D
- WF201 2 RU Wall Mount Bracket, 4"D
- WF202 2 RU Wall Mount Bracket, 8"D
- WF402 4 RU Wall Mount Bracket, 8"D
- WF403 4 RU Wall Mount Bracket, 12"D
- WF602 6 RU Wall Mount Bracket, 8" D

